AMENDMENTS TO THE CLAIMS

1. (canceled).

2. (currently amended) The method of claim [[1]] 5 further comprising providing selected graphic files for playing within each said corresponding at least one set of files for each of said first plurality of computers.

3.   (original) The method of claim 2 further comprising providing selected audio files for playing within at least one of the corresponding at least one set of files.

4.   (currently amended) The method of claim [[1]] 5 wherein at least two of said corresponding at least one set of files comprise different graphic files contained therein.

5. (currently amended) The A method of claim 1 further for making a presentation for display on a first plurality of computers forming respective computer stations, utilizing a software control program, said method comprising:

    installing said software control computer program on each
        of said first plurality of computers for the control
        of at least one unlike graphical image display by the

2

respective computer;

installing a corresponding at least one set of files to be

    played for said presentation on each of said first

    plurality of computers, each set of files including an

    initial file to be played and an ending file to be

    played;

associating playing time for each set of files of said at

    least one set of files on each of said plurality of

    computers such that an effective beginning time and

    play duration time is associated with each file of the

    corresponding at least one set of files;

providing a start time for each initial file of said at

    least one set of files to be played on each of said

    first plurality of computers;

providing that each computer is synchronized to a common

    time;

providing that in each instance of controlling an unlike

    graphical image display said control program on each

    of said first plurality of computers that said control

3

program displays said initial file to each set of the

corresponding at least one set of the files at said

start time;

sequentially playing each file in each corresponding at

   least one set of files for each of said first

   plurality of computers; and

running at least one instance of running a second plurality

   of simultaneous and independent executions of said

   software control program on a respective computer of

   said first plurality of computers such that said

   respective computer controls a corresponding second

   plurality of unlike ~~presentation~~ graphical image

   displays and further such that each instance of

   simultaneous and independent execution of said

   software control program coordinates a display

   sequence for a respective one of said corresponding

   second plurality of unlike ~~presentation~~ graphical

   image displays.

6.   (currently amended) The method of claim [[1]] 5 wherein said

effective beginning time and play duration time are determined

on the basis of a beginning time and an ending time.

4

7.   (currently amended) The method of claim [[1]] 5 wherein said

effective beginning time and play duration time are determined

based on a collective time of previous image files and a given

play duration time.

8.   (canceled).

9.   (canceled).

10.   (canceled).

11. (currently amended) The software control program of claim

[[8]] 13 further comprising a second display command to

designate a particular set of presentation display files of a

set of unlike said at least one set of presentation display

files for a desired monitor of a multiple monitor computer.

12.   (original) The software control program of claim 11

wherein:

      there is associated with each respective monitor of a

          multiple monitor computer in computer local storage a

5

display raster area which is a part of a composite

raster area for all the monitors of the multiple

computer monitor; and

said display command designates a particular

monitor for said particular presentation display by

setting an x, y position within said composite raster

area identifying the desired raster area for said

presentation display.

13.   (currently amended) ~~The~~ A software control program ~~of claim~~
~~8 further~~ operable for running simultaneously on a first plurality

of computers to control a presentation utilizing said plurality of

computers, each of said computers being associated with at least

one presentation display, each of said computers comprising a

local storage wherein said local storage contains at least one set

of presentation display files to be displayed during a

presentation, each said set of presentation display files

including at least one subset of graphical image files, said at

least one set of presentation display files including at least one

unlike subset of graphical image files, at least one scenario file

for each of said plurality of computers which comprises timing and

sequence information for each one of said at least one set of

presentation display files in said local storage, said software

6

control program comprising:

a read scenario command to read each scenario file of said at

    least one scenario file;

at least one get image command to retrieve each graphical

    image file of a respective at least one subset of

    graphical image files of a respective set of

    presentation files listed in each scenario file;

a software timing control operable for coordinating of

    display of each graphical image file for each of said

    plurality of computers;

at least a first display command to designate a set of

    presentation files of said at least one set of

    presentation files for a desired of said first plurality

    of computers;

a time control program for setting an internal clock of all

    of said plurality of computers to a common time[[.]]:

    and

said software control program further being operable to

7

control the associated presentation of said graphical

image files to provide at least one instance wherein a

scenario causes the running on a respective computer of

a second plurality of simultaneous and independent

executions of the software control program such that the

computer controls a corresponding set of said at least

one set of presentation files and further such that each

instance of simultaneous and independent execution of

said software program coordinates a display sequence for

a respective subset of unlike graphical image files.

14.   (canceled).

15.   (currently amended) The method of claim [[14]] 19 further

comprising providing that said sequences of presentation

displays differ among said first plurality of computers.

16. (canceled).

17.   (canceled).

18. (currently amended) The method of claim [[17]] 19 wherein

the step of automatically starting further comprises providing a

initial file start time for each instance of said software

8

control program on each of said plurality of computers.

19.   (currently amended) ~~The~~ A method ~~of claim 14 further~~ for

making a presentation for display on a first plurality of

computers synchronized to a common time forming respective

computer stations, utilizing a software control program, said

method comprising:

    installing said software control program on each of said

        first plurality of computers for the control by each

        computer of a presentation display, each presentation

        display comprising at least one set of presentation

        files, each set of presentation files installed on

        each respective one of said first plurality of

        computers, each at least one set of presentation files

        including at least one subset of graphical image files

        having at least one unlike graphical image file;

    simultaneously running each installed software control

        program on the respective computer on which installed;

    automatically starting a sequence of presentation files for

        each of said first plurality of a computer utilizing

        the respective control program of the simultaneously

9

running control program installed thereon, said

automatic start of a sequence being based upon a

predetermined time of said common time to which said

plurality of computers are synchronized; and

said simultaneous running including at least one instance

of running a second plurality of simultaneous and

independent executions of said software control

program on a respective computer of said first

plurality of computers such that said respective

computer controls a corresponding second plurality of

unlike ~~presentation~~ graphical image displays and

further such that each instance of simultaneous and

independent execution of said software control program

coordinates a display sequence for a respective one of

said corresponding second ~~plurality~~ at least one of

said unlike ~~presentation displays~~ subsets of graphical

image files.

20.   (canceled).